

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7	("1126594") or ("5473211") or ("4564777") or ("6291919") or ("6060805") or ("5304877") or ("4311932")).PN.	USPAT	OR	OFF	2005/04/07 14:59
L2	371	(378/125).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 14:12
L3	33	(378/126).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 14:12
L4	123	(378/127).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 14:13
L5	44	(378/129).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 14:13
L6	73	(378/131).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 14:13
L7	878	(310/211).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 14:17
L8	409	(310/265).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 14:18
L9	2769	(310/261).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 14:18
L10	175	(310/271).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 14:18

L11	141	(310/212).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 14:19
L12	1336	(310/216).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 16:36
L15	9	("2630463" "2951954" "3991333" "4139789" "4146809" "4930201" "5166569").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/07 16:30
L16	1459	(L2 L3 L4 L5 L6 L7 L8 L9 L10 L11 L12) and ((armature core rotor) same (steel magnetic conduct\$4) same (can canned sleeve cover\$4 shield\$4))	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/07 16:36
L17	311	(310/85).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 16:36
L18	326	(310/86).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/07 16:36
L19	1542	(L2 L3 L4 L5 L6 L7 L8 L9 L10 L11 L12 L17 L18) and ((armature core rotor) same (steel magnetic conduct\$4) same (can canned sleeve cover\$4 shield\$4))	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/07 16:36
L20	582	(L2 L3 L4 L5 L6 L7 L8 L9 L10 L11 L12 L17 L18) and ((armature core rotor) same (steel magnetic conduct\$4) same (canned sleeve cover\$4 shield\$4))	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/07 16:37
L21	737	(L2 L3 L4 L5 L6 L7 L8 L9 L10 L11 L12 L17 L18) and ((armature core rotor) same (steel magnetic conduct\$4) same ((rotor near can) canned sleeve cover\$4 shield\$4))	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/07 16:37
L22	928	(L2 L3 L4 L5 L6 L7 L8 L9 L10 L11 L12 L17 L18) and ((armature core rotor) same (steel magnetic conduct\$4) same ((rotor near3 can) canned sleeve cover\$4 shield\$4))	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/07 16:37

L23	737	(L2 L3 L4 L5 L6 L7 L8 L9 L10 L11 L12 L17 L18) and ((armature core rotor) same (steel magnetic conduct\$4) same ((rotor near can) canned sleeve cover\$4 shield\$4))	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/07 16:37
-----	-----	---	------------------------------	----	----	------------------